

AVP 275

Volvo Penta
Mecc Alte
D+' &'




Manufacturer		Volvo Penta	
Model		TAD734GE	
		% \$\$\$ "# "	
		250,00 kw [340,00HP]	
	L	7,150	
	"	108X130	
		17:1	
	fl # 7	"# "	1500
	fl 7	L	29,00
		L	32,00
AbsorbedAirDischargeReSourceKey.Text	' # "	16,30	
	' # "	312,00	
		24 V d.c.	
			+) I
			43,50

		Mecc Alte	
		ECO38 1LN/4	
	Hz	50	
	"	250,00	
7cg		0,80	
		3	
	fl 7	400/230	
	A	360,00	

AVP 275	2750,00	1300,00	1707,00	
MS 60	3960	1356	2097	470

D+' &'



AVP 275

Volvo Penta
Mecc Alte
D+ &



f@z@Bl
f@z@Bl

"z" "z"

f@z@Bl

971

#

#

#

#



f&%) +L

f&)(, L

f&%) \$L

6G'9B '* \$-) \$

6G'9B '* %\$\$\$! *!&

6G'9B '* %\$\$\$! *!(

#



ž

%, !&*(

&(\$)

ž

ž


GA 8

!&+""

ž

AVP 275

Volvo Penta
Mecc Alte
D+ &



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 in front and back side special large access doors for easy maintenance
- 9 Base frame -fuel tank.
- 10 Lifting points similar to ISO container , located on each top corner of the canopy
- 11 the canopy provides easy access to radiator cap.
- 12 sound proofing materials
- 13 Plastic air intake pockets.

	"	1356
fl "L	"	3960
fl "L	"	2097
	L	470